



Boost Annual Grass Control Effectiveness and Consistency: Rejuvra® + Marshal™ Imazapic

Combine the post-emergence control of Marshal™ Imazapic with the pre-emergence power of Rejuvra® for long-term seedbank management.

Benefits of a Tank-Mix

- Control annual grasses with pre- and post-emergence activity.
- Marshal™ Imazapic is the only imazapic product labeled for use on ventenata.
- Extend your application window to take advantage of fall moisture.
- Dual mode of action for resistance management.
- Best management practice for the most consistent, multi-year invasive annual grass control.

Species Controlled	
Cheatgrass (Bromus tectorum)	Ventenata (Ventenata dubia)
Japanese Brome (Bromus japonicus)	Bulbous Bluegrass (Poa bulbosa)
Medusahead (Taeniatherum caput-medusae)	Jointed goatgrass (Aegilops cylindrica)
Red Brome (Bromus rubens)	Feral Rye (Secale cereale)



Application Recommendations

- Treat target species with Rejuvra® + Marshal™ Imazapic from germination to 3-leaf stage – typically late July through November.
- Tank-mix rates include Rejuvra® at 5-7 oz/acre and Marshal™ Imazapic at 3-5 oz/acre.
 - Lower rates of imazapic are recommended on sandy soils.
- Use caution when applying to intensively managed hay ground when smooth brome, timothy, fescue, bluegrass or perennial ryegrass species are present.
- Use only non-ionic surfactants (NIS) or solution stabilizers as needed. MSO and other crop oils can impede herbicide soil incorporation and should not be used.
- Apply when moisture is predicted within 60 days.

Timing: Late Summer and Fall Applications



Germination Emergence starts after germination

Rejuvra® herbicide + Marshal™ Imazapic



Aerial	Ground
<u>Application Volume (Gallons per Acre)</u>	
Min. 5 GPA	Min. 10 GPA
<u>Mixing Order</u>	
1.Add half of the water 2.Add Rejuvra® and mix thoroughly 3.Add Marshal™ Imazapic 4.Add NIS, then solution stabilizer 5.Add remaining water	
<u>Surfactant</u>	
Add 0.25% v/v NIS for postemergence applications. Add a moisture-stabilizing adjuvant in hot, low humidity conditions to limit droplet evaporation before ground intercept.	Add 0.25% v/v NIS for postemergence applications.

ALWAYS READ AND FOLLOW LABEL INSTRUCTIONS. Follow label and stewardship guidelines to limit impact to non-target native species. Environmental Science U.S. LLC 5000 CentreGreen Way, Suite 400, Cary, NC 27513. For additional product information, call toll free 1-800-331-2867. www.envu.com. Not all products are registered in all states. Envu, the Envu logo, Marshal™, and Rejuvra® are trademarks owned by Environmental Science U.S. LLC or one of its affiliates. © 2026 Environmental Science U.S. LLC